

PART 1 INSTRUCTIONS: PATTERNS OF DIZZINESS

The purpose of this questionnaire is to identify difficulties you may be experiencing. Please answer every question, do not skip any questions. Circle yes or no where asked.

NAME: DATE:

Patterns of Dizziness				
How would you explain your dizziness: Lightheaded Disorientation False sense of motion that you are moving False sense of motion the world is moving	Yes / No Yes / No Yes / No Yes / No		hich directionhich direction	
Please describe your dizziness without using the	 ne word "dizzy	"·		
Are your dizziness symptoms (circle one):	Recent (firs	st episode)	Reoccurring	Chronic
What is the typical duration of your symptoms (A few seconds Several seconds to a few r		Several minutes	s to one hour Days	Weeks
Do you have hearing loss with your vertigo?				Yes / No
Do you have any ringing in your ear with your vertigo?			Yes / No	
Is there any correlation with timing of your symptoms and taking a new medication (aspirin, antibiotics, diuretics, etc.)?			Yes / No Maybe	
Is there any correlation with timing of your symptoms and exposure to any environmental chemicals or toxins?			Yes / No Maybe	
Can your symptoms of dizziness be reduced by visually fixating on a target?				Yes / No
Are your symptoms of dizziness worse in the dark?			Yes / No	
Are there any other symptoms you experience besides false sense of motion? What? (ex. Nausea, anxiety, racing heart rate, etc.)			Yes / No	
Is there anything that can aggravate your vertigo? What?			Yes / No	
Does anything help your symptoms? What?				Yes / No
Do any of the following movements cause you to Turning to the right Turning to the left Suddenly stopping in a car or a plane landing Suddenly starting to move forward in a car or a Looking out the window of a train or moving vertically to the window of a train or moving vertically to the window of a train or moving vertically side-to-side Suddenly moving up or down on an elevator	Yes Yes Yes plane Yes ehicle with you ehicle with you Yes	/ No / No / No / No / No ur back facing	the direction of movement	



PART 2 INSTRUCTIONS: DIZZINESS SYNDROMES

The purpose of this questionnaire is to identify difficulties you may be experiencing. Please select yes or no.

Perilympathic Fistula and Superior Canal Dehiscence	Yes / No Yes / No
Did your dizziness start after trauma to your ear by sudden changes of pressure to your ear?	
Did your dizziness start after heavy weight bearing or excessive straining with bowel movements?	
Can sneezing, straining, or changes of pressure trigger your dizziness?	
Can putting your head down to one side trigger your dizziness?	
Can loud noises or sounds at times trigger your dizziness?	
Have you started to notice your own voice much louder than before?	
Have you notice any distortions of sensations of sound?	Yes / No
Benign Paroxysmal Positional Vertigo	
Can positional changes such as turning over in bed, bending over and then straightening up, or tilting your head trigger your symptoms?	Yes / No
Are your symptoms of dizziness prompted by eye or head movements and then decrease in less than one minute?	Yes / No
Does your dizziness become less noticeable each time you repeat the same movement?	Yes / No
Do your episodes of dizziness come in sudden and brief spells?	Yes / No
Vestibular Neuronitis	
Did your dizziness come on suddenly?	Yes / No
Did your dizziness start after a recent viral or bacterial infection?	
Do you have a history of Herpes Zoster outbreaks?	Yes / No
Did your dizziness start during a period of exhaustion or weakened immune system?	Yes / No
Meniere's	
Do you notice a feeling of fullness in the ear or on the side of your head accompanying your episodes of dizziness?	Yes / No
Do you have episode of ringing in your ear accompanying your episodes of dizziness?	Yes / No
Have you experienced two or more episodes of vertigo lasing at least 20 minutes each?	Yes / No
Vestibular Migraine	
Do you experience flickering light spots (visual aura) before your episodes of dizziness or headaches?	
Do you experience a throbbing headache before or after your episodes of dizziness?	Yes / No
Do you become extremely sensitive to light and sound before or after you episodes of dizziness?	
Have you noticed your episodes of dizziness can be provoked by stress, low blood sugar levels, diet, chocolate, red wine, caffeine, cheeses or MSG?	



PART 3 INSTRUCTIONS: PREVIOUS DIAGNOSIS

The purpose of this questionnaire is to identify difficulties you may be experiencing.

Previous Diagnosis

Have you ever been diagnosed or suffered from with the following conditions (circle all that apply):

Benign Proxysmal Positional Vertigo (BPPV)

Meniere's Disease

Ototoxicty

Otosclerosis

Tinnitus

Hearing Loss

Acoustic Neuroma

Stroke

Migraine

Transient Ischemic Attack (TIA)

Perilympathic Fistula

Superior Canal Dehiscence

Endolymphatic hydrop

Autoimmune Inner Ear Disease

Cervigogenic Syndrome

Vestibulopathy

Cerebellum Disease

Cholesteatoma

Enlarged Vestibular aqueduct

Vestibular Neuritis or Labyrinthitis

Mal de Debarqument

Neurototoxcity

Trauma to your ear

Trauma to your head/brain

Concussion

NAME:	DATE:
-------	-------